

**Material Safety Data Sheet**  
**WesBond Corporation**  
**WesBond PSA**

<b>SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION</b>	
Sales Name	<b>Wesbond PSA</b>
Product Description	Inorganic Suspending Agent
CAS Number	
Supplier	WesBond Corporation
Address	1135 E. 7 <sup>th</sup> Street Wilmington, DE 19801
Emergency Telephone Number	(302) 655-7917
Contact	Wes Jones
Approved By	Wes M Jones
MSDS Date	1/21/02

<b>SECTION 2. COMPOSITION / INFORMATION ON INGREDIENTS</b>			
Chemical Name CAS Number	% Wt/Wt	PEL-OSHA Exposure Limits	TLV-ACGIH Exposure Limits
Aluminum Silicate 8031-18-3	75 – 85%	10 mg/m <sup>3</sup> , Total dust 5 mg/m <sup>3</sup> , Respirable dust	TWA 10 mg/m <sup>3</sup> 3mg/m <sup>3</sup> RF
Aluminum Oxide 1318-23-6	10 - 15%	Same as above	TWA 10 mg/m <sup>3</sup> 5 mg/m <sup>3</sup> RF STEL 20 mg/m <sup>3</sup>
Magnesium Oxide 1309-48-4	5 – 10%	Same as above	Same as above

<b>SECTION 3. PHYSICAL AND CHEMICAL DATA</b>	
Appearance	Tan powder
Odor	Odorless
pH	6 - 8
Specific Gravity	2.2
Solubility In Water	Insoluble
Solubility In Other Solvents	No
Vapor Pressure	N/A
Melting Point	1649°C / 3000°F
Boiling Point	N/A

<b>SECTION 4. FIRE AND EXPLOSION HAZARD DATA</b>	
Flash Point (°F)	Noncombustible
Flammable Limits ( Vapor In Air, Vol.% )	N/A
Fire Extinguishing Media	N/A
Special Fire Fighting Procedures	Non flammable (water)
Unusual Fire And Explosion Hazards	Product will not burn, not explosive.

**Material Safety Data Sheet**  
**WesBond Corporation**  
**WesBond PSA**

<b>SECTION 5. REACTIVITY DATA</b>	
Stability	Stable
Conditions To Avoid	High humidity degrades product, non hazardous
Incompatibility (Materials To Avoid)	None
Hazardous Decomposition Products	None
Hazardous Polymerization	Will not occur.

<b>SECTION 6. STORAGE, HANDLING AND USE PROCEDURES</b>	
Storage And Handling	Keep container closed when not in use, high humidity degrades product. Use dustless system for handling and storage.
Normal Use	Same as above
Spillage	Contain spillage and scoop up or vacuum. Do not use cleaning method that will generate dust that will exceed the PEL. Transfer solids to separate suitable containers for recovery or disposal.
Waste Disposal Method	Non-hazardous, landfill or sewer according to local, state, and federal regulations

<b>SECTION 7. HEALTH HAZARD DATA</b>	
Chronic Hazards	Causes irritation of the respiratory tract; prolonged or repeated inhalation of dust may cause a disabling progressive pulmonary fibrosis. May cause mechanical irritation to eyes.
Carcinogen	IARC? No      OSHA? No Natural materials with inadequate evidence of carcinogenicity to humans.
Medical Conditions Generally Aggravated By Exposure	Asthma and inflammatory or fibrotic lung disease
Eye Contact	May cause mechanical eye irritation
Skin Contact	May cause skin irritation
Inhalation	May cause irritation of respiratory tract
Ingestion	No adverse effects expected.
First Aid Procedures	In case of eye contact. Immediately flush eyes with plenty of water. Call a physician. Remove to fresh air if breathing is difficult; give oxygen. Call a physician.

**Material Safety Data Sheet**  
**WesBond Corporation**  
**WesBond PSA**

<b>SECTION 8. PERSONAL PROTECTION INFORMATION</b>	
Respiratory Protection	Avoid breathing dust. Use NIOSH/MSHA approved respirator whenever workplace conditions warrant use.
Gloves	Neoprene gloves provide protection against skin irritation.
Eye Protection	Safety glasses with side shields or chemical goggles. Other Protective Equipment: Safety shower and eyewash fountain should be within direct access.
Personal Hygiene	Wash thoroughly after handling
General Ventilation	Local exhaust: as needed to control within TLVs. Mechanical General: low airflow to not create dust

<b>NFPA – National Fire Protection Association Hazard Ratings</b>	
<b>1</b>	Health Hazard Rating – Slight
<b>0</b>	Flammability Rating – Minimal
<b>0</b>	Instability Rating – Minimal
	Special Hazards – None

<b>HMIS – National Paint &amp; Coating Hazardous Materials Identification System</b>	
<b>1</b>	Health Hazard Rating – Slight
<b>0</b>	Flammability Rating – Minimal
<b>0</b>	Reactivity Rating – Minimal
<b>E</b>	Personal Protection – Safety Glasses, Gloves, Dust respirator

<b>ABBREVIATIONS</b>			
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value (ACGIH)
ACGIH	American Conference of Governmental Industrial Hygienists	TWA	Time Weighted Average
OSHA	Occupational Safety and Health Administration	N/A	Not Applicable
NFPA	National Fire Protection Association Hazard Ratings	HMIS	National Paint & Coating Hazardous Materials Identification System

**The information on this safety data sheet is believed to be accurate and it is the best information available to WesBond Corporation. This document is intended only as a guide to the appropriate precautions for handling a chemical by a person trained in chemical handling. WesBond Corporation makes no warranty of merchantability or any other warranty, express or implied with respect to such information of the product to which it relates, and we assume no liability resulting from the use or handling of the product to which this safety data sheet relates. Users and handlers of this product should make their own investigations to determine the suitability of the information provided herein for their own purposes.**